

CERTIFICATE OF ANALYSIS

Material	BP Protease GMP Grade (For <i>ex vivo</i> Use Only)		
Description	Aseptically dispensed purified neutral protease from <i>B. polymyxa</i>		
Lot Number	211240125	Pack Size	1.1 M NP Units
Catalog Number	003-1000	Storage	-20±5°C
Date of Manufacture	25 Jan 2024	Expiry Date	Jan 2028
TEST	ACCEPTANCE CRITERIA		RESULT
Appearance	White lyophilized cake		Conforms
Endotoxin EU/mg protein¹ USP <85>	< 50.0 EU/mg		4.3 EU/mg
Total Neutral Protease Activity²	> 800,000 Units/bottle		1,455,406 Units/bottle
Total Protein³	Report Only		8.6 mg/bottle

Signature:



Aaron B. Craig,
Director of Quality Assurance

23-Feb-2024

Date

¹ Test performed on the Charles River nexgenEndosafe[®] PTS Endotoxin Assay system

² Breite AG, et. al. Tissue Dissociation Enzyme Neutral Protease Assessment. *Transplantation Proceedings* 42 (2010);2052-54

³ Based on absorbance at 280 nm using an extinction coefficient of $\epsilon^{0.1\%} = 1.0$